DECORATING SUPPLIERS

BIOFA

Superb quality paints in hundreds of colours that won't harm you, your family or the environment. VOC free, 100% ethically guided, respecting the planet for future generations.





www.biofa.co.uk Natural info@biofa.co.uk PAINT



Villa Natura was founded with one goal in mind: To give a new meaning to health.

This passion is driven by my personal experience. Having suffered from severe eczema and allergies as a child, my health was dramatically improved following the painting of my family house with BIOFA products 15 years ago.

I want to increase the public's awareness of the potential toxicity of conventional paints and help those currently suffering from allergies by importing and distributing this comprehensive range of natural paints.

Villa Natura's philosophy is to provide you with:

- An excellent paint range at competitive prices with 1000 superb colours to choose from our exclusive colour chart.
- Environmentally friendly products manufactured using only renewable raw materials and encompassing recycling values
- A fume free environment with products safe for man, animals and plants and not tested on animals
- A respect for future generations by saving the resources of the planet and to give our children a chemical and V.O.C. (Volatile Organic Compounds) free environment.

This is our mission statement and your reason to do business with us.

Laurent Robert my business partner is giving training and seminars across the country to retailers, decorators, schools, hospitals... do not hesitate to contact us on 01273 685 800 if you wish to know more.

Our latest achievement is to provide paint to the Brighton Jubilee Library and many architects are now specifying Biofa paints.

Enjoy painting, not fainting,

Jérôme Petit

Managing Director and Co-Founder of Villa Natura Itd







Interior Wall & Ceiling Paints

A very special paint..it is absolutely brilliant and I highly recommend it... Gordon whistance on BBC1 Housecall

Universal Sealing Primer

Code **0811**

White, non porous sealer. Seals major stains caused by nicotine, water leak or grease, stopping them from penetrating later coats of paints. Adheres well to plaster, plaster board, wood, mdf, tile, etc.

Coverage: 8 to 10 M²/L **Size:** 750 ML, 2.5 L, 5 L

Stabilising Primer

Code **1420**

Ready to use Silicate Primer with high binding content, suitable for thinning Silicate paint based on water glass: Can be used to cure a mouldy inside wall (thin down with one part water).

Coverage: 8 to 10 M²/L **Size:** 750 ML, 2.5 L, 5 L

Code **3011**

Code 3006

Interior Flat Emulsion

Washable with mild detergent, solvent free wall emulsion. Gives a chalky matt finish. Covers well, dries fast, allowing walls to breathe. Can be applied on existing matt paint. Used as a mistcoat Emulsion should be diluted with 10% to 20% water minimum.

Coverage: approx. 10 M²/L Size: 1 L, 4 L, 10 L

Kitchen & Bathroom Sheen Emulsions

At Villa Natura, we are now offering you 1000 different colours to choose from. Ask us for our brand new colour fan or ask your retailer.

Coverage: approx 10 M²/L

Size: 4 L, 10 L

Code **3051**

Kitchen & Bathroom Silicate Flat Emulsion


Ready to use, fast drying, well-covering, washable, scratch proof, incombustible, breathing wall paint. Gives a white matt finish. Its alkalinity has a sterilising effect. Suitable for vegans. To be applied on bare plaster or render. Can be applied on old existing wall paints. The first coat should be diluted 10% to 20% with water.

Coverage: 8 to 10 M²/L **Size:** 4 L, 10 L

Hundreds of Colours Available

Special Select Designer Range





Interior & Exterior Wood Finishes

Biofa products offer my clients value for money, a great finish from an ever increasing range of colours and for me, well, being premium quality they are a pleasure to apply. **Jamie Anderson Decorator (www.ecoartisan.org)**

Interior Oil Based Paints

Undercoat Code 1210

White, filling primer. It is water-repellent and adheres well to wood, metal, aluminium, plaster and old paints.

Coverage: around 10 M²/L **Size:** 250 ML, 750 ML, 2.5 L, 5 L, 10 L

Matt Paint code 1115

Dirt and water-repellent matt paint adheres well to wood, metal, already painted surfaces or undercoated with the Undercoat 1210 or Universal sealing primer 0811. Gives a silky matt finish.

Coverage: 10 to 12 M²/L **Size:** 250 ML, 750 ML, 25 L, 5 L, 10 L

Satin Paint Code 1116

Dirt and water-repellent satin paint adheres well to wood, metal, already painted surfaces or undercoated with the undercoat 1210 or Universal sealing primer 0811. Gives a satin finish.

Coverage: 10 to 12 M²/L **Size:** 250 ML, 750 ML, 25 L, 5 L, 10 L

Exterior Oil Based Paints

Herbal Wood Primer

Code TUTU

Oily impregnation containing zinc oxide, a strong anti fungal. Dries colourless on untreated wood. It makes the wood evenly absorbent, saturates it and provides protection against animal pest.

Coverage: 8 to 10 M²/L **Size:** 750 ML, 2.5 L, 5 L

White Gloss

Code 1216

Biofa exterior oil based paint is weather proof, breathable, dirt and water repellent, elastic, gloss finish. Once hardened, approved for children's toys standards (en 71-3) and are sweat & saliva proof (din 53 160). Suitable for wood and metal. Zinc surfaces will have to be treated with the undercoat code 1210.

Coverage: 8 to 10 M²/L **Size:** 750 ML, 2.5 L, 5 L







Interior Floor Finishes

All oil based Biofa products are **EN 71-3** (European Standard) for toys security and **DIN 53 160** (Building Standard) sweat and saliva proof.

Hard Oil Finish

Universal Priming Oil

Code 3755

Primer for interior timber surfaces. It penetrates deeply into the wood, enhancing the grain and giving an open pored, silky matt, water-resistant finish with little or no yellowing. Harden the wood and make your floor board more resistant to wear and tear once the hard oil is applied.

Coverage: 15 to 20 M²/L **Size:** 250 ML, 750 ML, 25 L, 10 L, 30 L

Universal Hard Oil

Code 2044

Universal hard oil is a high-quality product for various floors and panelling surfaces. It enhances the natural grain, emphasises the colour and gives an open-pored, silky-matt, hard-wearing and water-resistant finish with hardly any yellowing. It is suitable for absorbent interior surfaces, especially cork and timber floors, as well as stairs, furniture, wood panelling and tiles. An undercoat with the universal priming oil codes 3755 or 3756 is recommended.

Coverage: 10 to 15 M²/L **Size:** 250 ML, 750 ML, 25 L, 10 L, 30 L

Floor Paint

Code 1101

To obtain a floor paint, you need to mix 50% universal hard oil 2044 (above) with 50% matt, satin or gloss white or gloss coloured. Two coats will be needed. Ask us for more information on 01273 685 800 or ask your retailer. Available in 1000 different colours.

Coverage: 10 to 15 M²/L **Size:** 750 ML, 2.5 L

Hard Wax Finish

Hard Wax Oil

Code **205**5

Enhances and deepens the natural grain of the wood and gives a breathable silky matt, hard wearing, water resistant surface with little or no yellowing. Suitable for absorbent interior timber and cork surfaces, both for impregnating and finishing.

Coverage: 13 to 23 M²/L **Size:** 750 ML, 2.5 L

Universal Hard Wax

Code **2060**

Provides a satin, colourless, anti-static finish. Suitable for timber floors, panelling, furniture, all hard and soft woods, also for unglazed stone. It allows the wood to breathe and is dirt and water repellent. A preliminary treatment with universal priming oil code 3755 and or with the universal hard oil code 2044 is recommended.

Coverage: approx. 30 -70 M²/L **Size:** 200 ML, 1 L

Asthma and Eczema Friendly

All BIOFA products distributed by Villa Natura are non-static meaning they do not collect any dust. A popular choice for asthmatics. Also no aromatic compounds means no toxicity.



Landscape & Garden

BIOFA is a natural emulsion that comes with plaudits from top interior designers. Latest Homes Magazine

Wood Preservative

Code **1051**

Sensible alternative to creosote, penetrating deeply into the wood and giving it a dark brown colour. Suitable for garden fences and posts, cold frames, sheds etc.

Coverage: 8 to 12 M²/L **Size:** 750 ML, 2.5 L

Weather Protective Oils

Code 2043

This is a protection against moisture. Ideal for all polished and planned colourless woods in exterior areas.

Coverage: 8 to 16 M²/L **Size:** 750 ML, 2.5 L

Garden Furniture Oil

Code **3/5**2

Penetrates deeply into the wood, enhances the grain and gives an open pored, silky matt, hard wearing and water-resistant finish, with no yellowing. Suitable for external garden furniture, cladding such as teak, tropical woods, conifers and hard woods.

Coverage: 50 M²/L **Size:** 750 ML, 2.5 L

Natural Floor Conditioner

Code **2085**

Naplana cleans and protects against dirt and mechanical wear. For all varnished, oiled or waxed surfaces, wood, cork and lino. Dries fast and leaves a silky matt, breathable, dirt repellent finish. Does not create build up.

Size: 1 L, 5 L

Thinner

Code **0500**

BIOFA Thinner is free of aromatic compounds like toluene, xylene, ketones, ester and glycol ether. It has a pleasant smell and good dissolving characteristics for natural oils and oil based paints and waxes.

Size: 750 ML, 5 L

Natural Sugar Soap

Code 2090

Napona is a solvent free liquid cleaner, which is very kind to the skin. Excellent wax remover, it is as well used to clean implements solvent free BIOFA products such as water glaze, wall paint, polish, wood stains, etc.

Size: 1 L, 5 L

Environmentally Friendly

Pure & Simple Like Our Paint...

You have chosen the colour, you have the size of the room, you know the finish you want to achieve but you need this little extra advice... Here it is, per finish to make it simple!

Wall Emulsion

Your wall is already painted with a conventional or natural paint:

- Paint over it, dilute the first coat with 10% water.
- 2. Apply second coat non diluted.

Your wall is bare plaster, lime wash, lining paper or shows filler marks:

- 1. Apply a mistcoat by diluting the paint with 10% to 20% water.
- 2. Paint over it, dilute the first coat with 10% water.
- 3. Apply second coat non diluted.

Your wall is bare plaster, patchy, shows stains. Covered with lining paper and some filler marks:

- Apply one coat of Universal Sealing Prime (0811).
- 2. Apply one coat of wall emulsion diluted with 10% water.
- 3. Apply second coat non diluted.

Your walls are subject to damp and humidity:

- Apply one coat of diluted stabilising prime (1420).
- Apply two coats of silicate interior paint. Suitable for heavy duty and humid environment.

Gloss Wood Finish

Your wood work is already painted with a conventional or natural gloss/eggshell

- 1. Degrease with Sugar Soap.
- 2. Sand if necessary.
- 3. Apply one thin coat of undercoat.
- 4.. Apply two thin coats of paint.

Your wood work is bare or has some marks / stains:

- 1. Sand if necessary.
- 2. Apply one coat of undercoat.
- 3. Apply 2 thin coats of paint.

Your wood work is an outside bare wood:

- 1. Apply one coat of Herbal Wood Primer.
- 2. Apply one coat of undercoat.
- 3. Apply two coats of gloss.

Wood Stain, Water Based, Finishes

Your wood work is already painted with a conventional or natural wood stain: (after a light sanding)

1. Apply two thin coats.

Your wood work is bare:

1. Apply two/three coats of wood stain.

Wood Floor Finish

Your wooden floor is already painted with a conventional or natural gloss/eggshell (after a light sanding):

- 1. Paint over it with our floor paint (50/50 hard oil and oil satin paint).
- 2. Apply a second thin coat.

Your wooden floor is bare wood and has been sanded:

- 1. Apply one coat of Universal Priming oil.
- 2. Apply two coats of Universal hard oil.

Concrete Floor Finish

(hospital corridors, garage, etc...)

Your concrete floor is bare:

- 1. Apply two coats of Stone oil with pigments (if you wish a colour).
- 2. Apply one coat of clear stone oil.

(Tip: Remember, with oil based natural paint, thin coat is the secret!)











Natural Products

Also suitable for Grade 2 listed buildings - interiors and exteriors

Asthma and Eczema Friendly

honky/pickled egg/fume/rubble/ grubby/grease/mash/pavement/ gum/puddle/pigeon/daub/smog/ newsprint/jellied eel/drizzle/ gutter/concrete/dank/overcast/ oxide/bruise/metropolitan/ morning after/urban naturals

honky/urban naturals a collection of urban colours made from natural paint that won't harm you or the environment. We have worked together to create a palette of gritty urban shades, inspired by the city. The colours work effortlessly together to give a contemporary backdrop to your home environment,

whilst Biofa's green credentials give you the reassurance that their production limits impact on the wider environment.

Christopher Dezille Interior Designer — honky BIOFA∜

Order a colour chart online at www.honky.co.uk



Please contact your area wholesaler for information on how to become a Biofa distributor, or please contact Biofa direct on 01273 685 800.

Your Nearest Stockist:



www.biofa.co.uk

Gloucester House, 45 Gloucester Street, Brighton, East Sussex BN1 4EW T: 01273 685 800 F: 01273 699 304 E: info@biofa.co.uk